

Product Catalog

2026



OUR PURPOSE

**We Make
it Better...
Because
We Can**



CONTENTS

01	Foam.....	3
02	Spray.....	7
03	Fog + Mist.....	9
04	Gel.....	10
05	Doorway.....	11
06	Footwear.....	12
07	Drain Foaming.....	13
08	Chemical Management.....	14
09	Options	18

We've Got You Covered

We design, build, and support chemical application equipment for the people who clean the world.

At FOAMit our top priority is helping our customers and meeting their needs. Need a chemistry application unit that you can't find in this catalog? Our friendly experts can partner with you to create a custom solution.

800.567.5420
sales@foamit.com
techsupport@foamit.com
foamit.com

Portable

PUMP-UP - PRE-MIX

Drain foam options p.13

**0.4 Gallon (1.5 Liter)**

Manual pump up foam unit
with white tank

#F1.5L

**0.4 Gallon (1.5 Liter)**

Manual pump up foam unit
with black tank

#F1.5LBK

**1.3 Gallon (5 Liter)**

Manual pump up foam unit
with extendable wand

#F5.0L

**1.3 Gallon (5 Liter)**

Manual pump up foam unit
with poly spray gun

#F5.0L-PSG

**2.6 Gallon (10 Liter)**

Manual pump up foam unit
with extendable wand

#F10.0L

**2.6 Gallon (10 Liter)**

Manual pump up foam unit
with poly spray gun

#F10.0L-PSG

PLUG IN ELECTRIC - PRE-MIX

**FOAMit JR**

Electric pre-mix foam unit with
on-board compressor

#FI-JR

Portable

AIR POWER - PRE-MIX

**5 Gallon (18.9 Liter)**

Air powered foam or smart foam

#FI-5N

#FI-5N-SM (*smart foam*)

**10 Gallon (37.9 Liter)**

Air powered foam or smart foam

#FI-10N

#FI-10N-SM (*smart foam*)

**20 Gallon (75.7 Liter)**

Air powered foam or smart foam

#FI-20N

#FI-20N-SM (*smart foam*)

**25 Gallon (94.6 Liter)**

Air powered foam or smart foam

#FI-25N

#FI-25N-SM (*smart foam*)

**30 Gallon (113.6 Liter)**

Air powered foam or smart foam

#FI-30N

#FI-30N-SM (*smart foam*)

**50 Gallon (189.3 Liter)**

Air powered foam or smart foam

#FI-50N

#FI-50N-SM (*smart foam*)

**High Volume 50 Gallon (189.3 Liter)**

Air powered high volume foam
unit with Teflon pump

#FI-50NT-HV

AIR POWER - CONCENTRATE

**15 Gallon (56.8 Liter)**

Air powered concentrate foam

#FI-CN-15N

#FI-CN-15N-2P (*2 product*)

Portable

BATTERY POWER - PRE-MIX



5 Gallon (18.9 Liter)

Li-ion battery powered foam
#FI-BP-5N



10 Gallon (37.9 Liter)

Li-ion battery powered foam
#FI-BP-10N



20 Gallon (75.7 Liter)

Li-ion battery powered foam
#FI-BP-20N



25 Gallon (94.6 Liter)

Li-ion battery powered foam
#FI-BP-25N



30 Gallon (113.6 Liter)

Li-ion battery powered foam
#FI-BP-30N



The Rover

5 Gallon (18.9 Liter) Li-ion battery
powered foam unit
#FI-BP-RVR



Foam, Rinse, Sanitize (FRS)

3-in-1 Li-ion battery powered foam,
rinse, and sanitize unit
#FRS-BP-15N



Ultra-Low Volume (ULV)

Li-ion battery powered ultra-Low
volume foam unit
#FI-BPULV



01 Foam

Wall Mounted

AIR POWER - PRE-MIX



Pre-Mix Foam

Air powered foam
#FI-WL



Pre-Mix Foam All Poly

Air powered foam with all
poly fittings
#FI-WL-AP



Pre-Mix Foam Twin Line

Air powered foam with twin
line coiled tube, poly spray gun
and stainless spray tip
#FI-WL-LVTL

AIR POWER - CONCENTRATE



Foam Concentrate

Air powered foam
#FI-WC
#FI-WC-2P (2 product)



High Concentrate Foam All Poly

Air powered foam up to 1:1 dilution
with all poly fittings
#FI-WC-11-AP
#FI-WC-11-AP-2PSEL (2 product selector)



Foam and Spray Concentrate

Air powered foam and spray
#FISP-WC

Wall Mounted

AIR POWER - CENTRAL SYSTEMS



Central Foam Station

Air powered foam
#FI-STN



Dual Foam Central Station

Air powered dual foam
#FIFI-STN



Foam and Spray Station

Air powered foam and spray
#FISP-STN



Twin-line Central Foam System

Air powered foam with coiled
tube, poly spray gun, and
stainless spray tip
#FI-STN-LVTL

DRIVE OVER



Drive Over Foam


Motion activated foam system
that applies product to the
underbody of vehicles. Powered
by compressed air and electricity
#FI-DOF



Belt Foam

BELT FOAM BARS

Available in six different sizes, these belt foam bars make belt cleaning quicker and more affordable. Providing complete belt coverage and mounts right to the conveyor.



Note:
Requires a FOAMit portable or wall unit to operate. Contact a sales rep for details.

02 Spray

Portable

PUMP-UP - PRE-MIX



0.4 Gallon (1.5 Liter)
Manual pump-up spray unit
with white tank
#SP1.5L



0.4 Gallon (1.5 Liter)
Manual pump up spray unit
with black tank
#SP1.5LBK



1.3 Gallon (5 Liter)
Manual pump up spray unit
with extendable wand
#SP5.0L



1.3 Gallon (5 Liter)
Manual pump up spray unit
with poly spray gun
#SP5.0L-PSG



2.6 Gallon (10 Liter)
Manual pump up spray unit
with extendable wand
#SP10.0L



2.6 Gallon (10 Liter)
Manual pump up spray unit
with poly spray gun
#SP10.0L-PSG

Portable

AIR POWER - PRE-MIX



5 Gallon (18.9 Liter)
Air powered spray
#SP-5N



10 Gallon (37.9 Liter)
Air powered spray
#SP-10N



20 Gallon (75.7 Liter)
Air powered spray
#SP-20N



25 Gallon (94.6 Liter)
Air powered spray
#SP-25N



30 Gallon (113.6 Liter)
Air powered spray
#SP-30N



50 Gallon (189.3 Liter)
Air powered spray
#SP-50N



Portable

BATTERY POWER - PRE-MIX



5 Gallon (18.9 Liter)

Li-ion battery powered spray
#SP-BP-5N



10 Gallon (37.9 Liter)

Li-ion battery powered spray
#SP-BP-10N



20 Gallon (75.7 Liter)

Li-ion battery powered spray
#SP-BP-20N



25 Gallon (94.6 Liter)

Li-ion battery powered spray
#SP-BP-25N



30 Gallon (113.6 Liter)

Li-ion battery powered spray
#SP-BP-30N



The Rover

5 Gallon (18.9 Liter) Li-ion battery
powered spray unit
#SP-BP-RVR



Foam, Rinse, Sanitize (FRS)

3-in-1 Li-ion battery powered foam,
rinse, and sanitize unit
#FRS-BP-15N



Ultra-Low Volume (ULV)

Li-ion battery powered ultra-Low
volume spray unit
#SP-BPULV

Wall Mounted

AIR POWER - PRE-MIX



Pre-Mix Spray

Air powered spray
#SP-WL



Pre-Mix Spray All Poly

Air powered spray with all
poly fittings
#SP-WL-AP

AIR POWER - CONCENTRATE



Spray Concentrate

Air powered spray
#SP-WC



High Concentrate Spray All Poly

Air powered spray up to 1:1
dilution with all poly fittings
#SP-WC-11-AP



Foam and Spray Concentrate

Air powered foam and spray
#FISP-WC

AIR POWER - CENTRAL SYSTEM



Foam and Spray Station

Air powered foam and spray
#FISP-STN

Portable

PUMP-UP - PRE-MIX



0.4 Gallon (1.5 Liter)
Manual pump-up mist unit
with white tank
#MU1.5L



0.4 Gallon (1.5 Liter)
Manual pump up mist unit
with black tank
#MU1.5LBK



1.3 Gallon (5 Liter)
Manual pump up mist unit
with extendable wand
#MU5.0L



1.3 Gallon (5 Liter)
Manual pump up mist unit
with poly spray gun
#MU5.0L-PSG



2.6 Gallon (10 Liter)
Manual pump up mist unit
with extendable wand
#MU10.0L



2.6 Gallon (10 Liter)
Manual pump up mist unit
with poly spray gun
#MU10.0L-PSG

Portable

AIR POWER - FIXED NOZZLES



10 Gallon (37.9 Liter)
2 Nozzle
Air powered fog with 2 nozzles
#FG-10N-2
#FG-10N-2-TM *(with timer)*



20 Gallon (75.7 Liter)
2 Nozzle
Air powered fog with 2 nozzles
#FG-20N-2
#FG-20N-2-TM *(with timer)*

AIR POWER - TELESCOPING MAST



10 Gallon (37.9 Liter)
3 Nozzle
Air powered fog with 3 nozzles
on a telescoping mast
#FG-10N-3
#FG-10N-3-TM *(with timer)*



20 Gallon (75.7 Liter)
3 Nozzle
Air powered fog with 3 nozzles
on a telescoping mast
#FG-20N-3
#FG-20N-3-TM *(with timer)*



Portable

AIR POWER - PRE-MIX



5 Gallon (18.9 Liter)
Air powered gel
#GI-5N



10 Gallon (37.9 Liter)
Air powered gel
#GI-10N



20 Gallon (75.7 Liter)
Air powered gel
#GI-20N

Portable

AIR POWER - PRE-MIX



25 Gallon (94.6 Liter)
Air powered gel
#GI-25N



30 Gallon (113.6 Liter)
Air powered gel
#GI-30N



**30 Gallon (113.6 Liter)
With Agitator**
Air powered gel unit with
air motor agitator
#GI-30N-AM



NOZZLES

**Single-Line**

Doorway foam nozzle assembly for single-line

#NZA-DS-SL

**Twin-Line**

Doorway foam nozzle assembly for twin-line

#NZA-DS-TL-1 (one nozzle)

#NZA-DS-TL-2 (two nozzle)

#NZA-DS-TL-3 (three nozzle)

ELECTRIC - CENTRAL STATION

Nozzles sold separately. Includes 24VDC digital timer and power supply. Requires 120VAC standard plug input power.

**Doorway Foam Station**

Electric powered foam station. Nozzles sold separately

#DS-STN

#DS-STN-TL (twin-line)



SINGLE-LINE

One nozzle included. Additional nozzles are sold separately (NZA-DS-SL). Includes 24VDC digital timer and power supply. Requires 120VAC standard plug input power.

**Pre-Mix**

Air and electric powered single-line doorway foam with one nozzle

#DS-WL

**Concentrate**

Air and electric powered single-line concentrate doorway foam with one nozzle

#DS-WC

#DS-WC-2P (two product)

TWIN-LINE

One nozzle included. 2 and 3 nozzles available with -2 or -3 option. Includes 24VDC digital timer and power supply. Requires 120VAC standard plug input power.

**Pre-Mix**

Air and electric powered twin-line pre-mix doorway foam

#DS-WL-TL (one nozzle)

#DS-WL-TL-2 (two nozzle)

#DS-WL-TL-3 (three nozzle)

**Concentrate**

Air and electric powered twin-line concentrate doorway foam

#DS-WC-TL (one nozzle)

#DS-WC-TL-2 (two nozzle)

#DS-WC-TL-3 (three nozzle)

**Concentrate - 2 Product**

Air and electric powered twin-line concentrate doorway foam for two product

#DS-WC-2P-TL (one nozzle)

#DS-WC-2P-TL-2 (two nozzle)

#DS-WC-2P-TL-3 (three nozzle)

Freestanding

AIRLESS - SINGLE STEP



Airless Footwear Sanitizer

Airless footwear sanitizer includes jug with suction and mounting rack

#SS4

BASE OPTIONS

- 

Base with handle

#SS4-BSH
- 

Manual boot scrubber combo

#SS4-MBS
- 

Manual boot scrubber combo with base

#SS4-MBS-BS

Freestanding

BOOT SCRUBBER



Straight Handle

Manual boot scrubber with straight handle

#MBS



Combo handle

Manual boot scrubber with combo handle

#MBS-C

AIRLESS - WALK-THROUGH



Airless Walk-through Footwear Sanitizer

Airless walk-through footwear sanitizer includes jug with suction

#SS5



Portable

PUMP-UP - PRE-MIX

**0.4 Gallon (1.5 Liter) With Stopper**

Manual pump-up foam unit with 0.75 inch stopper drain attachment

#F1.5L-STP2 (white tank)
#F1.5LBK-STP2 (black tank)

**0.4 Gallon (1.5 Liter) With Plug**

Manual pump-up foam unit with 3.75 in. diameter plug drain attachment

#F1.5L-PLG4 (white tank)
#F1.5LBK-PLG4 (black tank)

BATTERY POWER - PRE-MIX

**Rover With Stainless Disc**

Rover unit with 7 in. stainless steel disc x 36 in. stainless drain attachment. Includes mounting shelf, and tray

#FI-BP-RVR-DFA-D7-36

**Rover With HDPE Disc**

Rover unit with 7 in. HDPE disc x 24 in. poly drain attachment. Includes mounting shelf, and tray

#FI-BP-RVR-DFA-D7PE-24

**Rover With Plunger**

Rover unit with 5 in. diameter x 18 in. poly plunger attachment. Includes mounting shelf, and tray

#FI-BP-RVR-DFA-PLG5-18

**ULV With Plunger**

Li-ion battery powered ultra-low volume foam unit with 3.75 in. diameter plug drain attachment

#FI-BPULV-PLG4

Portable

ATTACHMENTS

**Plunger**

5 in. diameter x 18 in. long poly plunger drain foam attachment. Includes mixing media. Compatible with all drain units.

#DFA-PLG5-18
#DFA-PLG5-18-QC (with quick connects)

**Round Disc**

Drain foam attachment with 7 or 12 in. disc and 36 or 48 in. length options. Includes mixing media and quick connects. Not compatible with pump-up drain units.

#DFA-D7-36-QC (7 in. disc x 36 in.)
#DFA-D7-48-QC (7 in. disc x 48 in.)
#DFA-D12-36-QC (12 in. disc x 36 in.)
#DFA-D12-48-QC (12 in. disc x 48 in.)

**Square Disc**

13 in. square disc x 48 in. length drain foam attachment. Includes mixing media and quick connects. Not compatible with pump-up drain units.

#DFA-SQ13-48-QC

**Brush**

8 in. diameter brush and angled handle for trench drains. Includes mixing media and quick connects. Not compatible with pump-up drain units.

#DFA-BR8-48-QC



Portable

AIR POWER - TRANSFER



TU-20N-PFG

20 Gallon (75.7 Liter)

Air powered transfer unit with poly fill gun, stainless steel wand, or curved stainless wand option

#TU-20N-PFG (poly fill gun)

#TU-20N-SSW (stainless wand)

#TU-20N-CSSW (curved stainless wand)



TU-25N-SSW

25 Gallon (94.6 Liter)

Air powered transfer unit with poly fill gun, stainless steel wand, or curved stainless wand option

#TU-25N-PFG (poly fill gun)

#TU-25N-SSW (stainless wand)

#TU-25N-CSSW (curved stainless wand)



TU-30N-CSSW

30 Gallon (113.6 Liter)

Air powered transfer unit with poly fill gun, stainless steel wand, or curved stainless wand option

#TU-30N-PFG (poly fill gun)

#TU-30N-SSW (stainless wand)

#TU-30N-CSSW (curved stainless wand)

TRANSFER - ATTACHMENT



Drum Lance

Polypropylene drum lance that fits both 2 in. NPS and buttress drum threads. Available in three lengths (33, 48, and 54 inch) and two seal options (EPDM or Viton)

EPDM	Viton
#DL-33	#DLV-33
#DL-48	#DLV-48
#DL-54	#DLV-54

Wall Mounted

AIR POWER - SINGLE TRANSFER

Seal : Santoprene (WL) · Viton (WLV) · Kalrez (WLK)

Operation: Manual air button (AB) · Timer (TMR)



Single Product

Wall mounted transfer. Operated by using a manual air button or timer and solenoid valve

#CT

Configuration Examples:

CT-WL-AB - Santoprene seals and manual air button

CT-WLK-AB - Kalrez seals and manual air button

CT-WLV-TMR - Viton seals, timer, and solenoid valve

AIR POWER - MULTI TRANSFER

Options per pump: Santoprene (S) · Viton (V) · Kalrez (K)

Wand indicator options: (BL, GN, YL, RD)



Multi-Product

Wall mounted transfer. Available up to 5 pump configurations

#CTX

Configuration Examples:

CTX2SV - Two pumps; one Santoprene, one Viton

CTX3SKK - Three pumps; one Santoprene, two Kalrez

CTX5 - Five pumps; all Santoprene pump seals

Note: No pump code is needed for Santoprene only units

WATER POWER - MIXING



Mixing Station

Water operated mixing station for 2-part concentrate products

#MS-WC-2P

ELECTRIC - CHEMICAL FEED



Flooded Suction Tank

Provides consistent head pressure for metering pumps

#FST-E (Santoprene / EPDM)

#FSTV-V (Viton / Viton)

#FSTK-T (Kalrez / Teflon)

Chemical Jugs

NON-LOCKING JUGS

Options: Suction (S) · Rack (R) · Locking Rack (LIR)

Tank Colors: Refer to the non-locking jug colors chart

Cap Colors: Refer to the non-locking cap colors chart

**2.5 Gallon (9.5 Liter)**

Chemical tank with color, suction, and mounting rack options

#JGA-2.5[tank color]-CP[cap color]-[options]

Example:

JGA-2.5RD-CPBK-SLIR : 2.5 gallon red jug with black cap, suction, and locking rack

**5 Gallon (18.9 Liter)**

Chemical tank with color, suction, and mounting rack options

#JGA-5[tank color]-CP[cap color]-[options]

Example:

JGA-5N-CPGN-R : 5 gallon natural jug with green cap, and mounting rack

NON-LOCKING JUG COLORS



Natural
(N)



Blue
(BL)



Brown
(BN)



Green
(GN)



Orange
(OR)



Purple
(PL)



Red
(RD)



Yellow
(YL)

Non-Locking Caps

VENTED

Cap Colors: Refer to non-locking cap colors chart below

**Cap With Check Valve**

Vented 3.5 in. polypropylene cap assembly with check valve, EPDM gasket, and stainless steel bead chain option

#CPA-35[cap color]-VNT-CHN

#CPA-35[cap color]-VNT-NCHN

(no bead chain)

**Cap Without Check Valve**

Vented 3.5 in. polypropylene cap assembly with EPDM gasket and bead chain

#CPA-35[cap color]-VNT-CHN-NCHK

UNVENTED

Cap Colors: Refer to the non-locking cap colors chart for color options

**Cap Assembly**

Unvented 3.5 in. polypropylene cap assembly with EPDM gasket, and stainless steel bead chain option

#CPA-35[cap color]-NVNT-CHN

#CPA-35[cap color]-NVNT-NCHN

(no bead chain)

NON-LOCKING CAP COLORS



Black
(BK)



White
(WH)



Blue
(BL)



Brown
(BN)



Green
(GN)



Orange
(OR)



Purple
(PL)



Red
(RD)



Yellow
(YL)

Chemical Jugs

LOCKING CAP JUGS

Options: Suction (S) · Rack (R) · Locking Rack (LIR)

Cap Colors: Refer to the **locking cap colors** chart

Note: Locking cap jugs only come in Natural (N)



2.5 Gallon (9.5 Liter)

Natural tank with locking cap.
Cap, suction, and mounting
rack configurations available
#JGA-2.5N-LI [cap color]-[options]

Example:

JGA-2.5N-LIBK-S : 2.5 gallon natural jug with
black locking cap, and suction



5 Gallon (18.9 Liter)

Natural tank with locking cap.
Cap, suction, and mounting
rack configurations available
#JGA-5N-LI [cap color]-[options]

Example:

JGA-5N-LIRD-R : 5 gallon natural jug with
red locking cap, and mounting rack

LOCKING CAP COLORS



Black
(BK)



White
(WH)



Blue
(BL)



Brown
(BN)



Green
(GN)



Orange
(OR)



Purple
(PL)



Red
(RD)



Yellow
(YL)

Locking Caps

FINE THREAD - JUG

Locking cap assemblies include Buna gasket and SS key

See **locking cap colors** chart for color options



Unvented

For jugs with locking cap, no suction
#LICPA-[cap color]-FT-NVNT



Vented

For jugs with locking cap and suction
#LICPA-[cap color]-FT-VNT



Suction Only

Suction knockout only, no fitting
#LICPA-[cap color]-S-FT-NF



Suction With Fitting

Suction knockout with fitting
#LICPA-[cap color]-S-FT

BUTTRESS THREAD - DRUM

Locking cap assemblies include Buna gasket and SS key

See the **locking cap colors** chart for color options



Unvented

Locking cap, no suction
#LICPA-[cap color]-BT-NVNT



Suction Only

Suction knockout only, no fitting
#LICPA-[cap color]-S-BT-NF



Suction With Fitting

Suction knockout with fitting
#LICPA-[cap color]-S-BT

Racks + Stands

CHEMICAL RACKS

**Container Locking Rack**

Wall mounted locking rack that holds two 1-gallon containers
#WMA-2X1-LI

**Jug Rack**

Wall mounted rack that holds one 5 or 10 gallon chemical jug
#WMBRKT-JG

**Jug Locking Rack**

Wall mounted locking rack that holds one 5 or 10 gallon chemical jug
#WMBRKT-JG-LI

CHEMICAL STAND

**Slide-Out Stand**

Slide-out base stand that holds one 12 x 12 in. container
#BSA-CMS12X12

Drum Cleaning

DRUM RINSE

**Drum Rinse System**

Triple rinse system for 15, 30, and 55 gallon drums
#DRS

Note:

Additional configurations available. Ask a sales rep about our Clean, Rinse, Sanitize and tote attachment options.



LID AND CAP COLORS



Black
(BK)
Standard



White
(WH)



Blue
(BL)



Brown
(BN)



Green
(GN)



Orange
(OR)



Purple
(PL)



Red
(RD)



Yellow
(YL)

NON-LOCKING JUG COLORS



Natural
(N)
Standard



Blue
(BL)



Brown
(BN)



Green
(GN)



Orange
(OR)



Purple
(PL)



Red
(RD)



Yellow
(YL)

LOCKING JUG COLORS



Natural
(N)
Standard

HOSE COLORS



Blue
(BL)
Standard



Green
(GN)



Red
(RD)



Yellow
(YL)

PUMP SEALS



Santoprene
(S)
Standard



Viton
(V)



Kalrez
(K)

We're Here to Help

Can't find what you need or not sure where to start? Our friendly experts are always here to help with maintenance tips, order info, troubleshooting, and answers to all of your questions.

800.567.5420

sales@foamit.com

techsupport@foamit.com

foamit.com

Phone

616.656.9225 or
800.567.5420

Address

3833 Soundtech Ct SE
Grand Rapids, MI 49512

Sales

For pricing, lead times,
and general questions:
sales@foamit.com

Support

For troubleshooting, tech
questions, and returns:
techsupport@foamit.com

